

DOSE RATE GUIDE FOR MAKING BOILIES & PASTE

	Bio Shellfish		TASTE 'F2'		Milk & Honey		Supermilk	
Peach	1ml	0.2ml	1ml	0.2ml	1ml	0.2ml	1ml	0.2ml
TM1	2ml	0.4ml	2ml	0.4ml	2ml	0.4ml	2ml	0.4ml
Ala Salar	3ml	1ml	3ml	1ml	NR	NR	3ml	1.0ml
Crab	2ml	0.5ml	2ml	0.5ml	NR	NR	2ml	0.5ml
Plum	1ml	0.2ml	1ml	0.2ml	1ml	0.2ml	1ml	0.2ml
Bun Spice	1ml	0.2ml	0.5ml	0.1ml	0.5ml	0.1ml	0.5ml	0.1ml
Madarin Oil	6 drops	2 drops	6 drops	2 drops	6 drops	2 drops	6 drops	2 drops
Hot Masala	3ml	0.5ml	3ml	0.5ml	3ml	0.5ml	3ml	0.5ml
Hot Cajun	3ml	0.5ml	3ml	0.5ml	3ml	0.5ml	3ml	0.5ml
Milky1	2ml	0.4ml	2ml	0.4ml	2ml	0.4ml	2ml	0.4ml
Chicken Tikka	3ml	0.5ml	3ml	0.5ml	NR	NR	3ml	0.5ml
Roast Chicken	3ml	0.5ml	3ml	0.5ml	NR	NR	3ml	0.5ml
TOPPEX	3ml	0.5ml	3ml	0.5ml	3ml	0.5ml	3ml	0.5ml
Caramel Ban	3ml	0.5ml	NR	NR	3ml	0.5ml	3ml	0.5ml
Cream Caramel	3ml	0.8ml	3ml	0.8ml	3ml	0.8ml	3ml	0.8ml
Maple	3-4ml	1ml	3-4ml	1ml	3-4ml	1ml	3-4ml	1ml
Butt-Ringer	NR	NR	NR	NR	3-4ml	1ml	3-4ml	1ml
MapleCream	3-4ml	1ml	3-4ml	1ml	3-4ml	1ml	3-4ml	1ml
Banana	3ml	1ml	NR	NR	3ml	1ml	3ml	1ml
Frost & Flood	3ml	1ml	4ml	1ml	3ml	1.2ml	3ml	1ml
Dairy Cream	NR	NR	4ml	1.2ml	4ml	1.2ml	4ml	1.2ml
Fruit Boost	2ml	1ml	2ml	1ml	2ml	1ml	2ml	1ml
The Sizz	3ml	0.5ml	3ml	0.5ml	NR	NR	2ml	0.4ml
Cheese Flav.	1.5ml	0.4ml	1.5ml	0.4ml	NR	NR	1.5ml	0.4ml

Blue Boxes show dose rates for FREE OFFERINGS using 6 EGGS. 'NR' = Not Recommended

Yellow Boxes show MAXIMUM doses for Hook Baits using 1 LARGE EGG. Applicable to Pop-up's, Wafers and Bottom Baits

The MAXIMUM COMBINED DOSAGE using MULTIPLE FLAVOURS for FREE OFFERINGS is 4ml to 6 LARGE EGGS.

The MAXIMUM COMBINED DOSAGE for HOOK BAITS is ideally no more than 1.5ml per 1 LARGE EGG.

LIQUID SHRIMP EXTRACT: is ideal in Bio Shellfish Mix. Salmon Oil is best used between May to Nov.

For extra complexity and to create a unique flavour/taste profile bait, we highly recommend that two or three flavours are mixed together with the eggs during preparation. This tactic is highly effective and will require careful experimentation dependent on the target species. Many unique variations are possible. These flavours are very strong. It is advisable to use low dose rates, and measure accurately!

Make sure water is kept steadily 'on-the-boil' throughout the whole of the cooking time.

Cook boilies and chop-up's of 16-18ml in size for 60-90 seconds. 20-22ml size boilies may need longer.

12-14mm size boilies require less boiling time, say 30-60 seconds. Minimal boiling times are preferable.

For Supermilk, Milk & Honey and Buttermilk base mixes, use a short boiling time, 30 - 60 seconds.

Air-dry' boilies & chop-up's, naturally on a wire tray for 6 - 18 hours depending on the hardness required.

Use the finished dried boilies when fresh as possible or 'bag-up' and freeze in small batches for later use.

Paste bait is one of the best ways to present our High quality HNV base mixes and flavour combinations.

It is highly recommended that a MAXIMUM OF HALF the usual flavour level is used in paste bait recipes.

The design of the base mix is a key part of the bait's attraction. Further additives should not be needed!

Half to one teaspoon of soya oil, sunflower oil or salmon oil (per egg), will help make paste soft and pliable.

Milk & Honey Base Mix contains inherent natural sweeteners - so no extra sweetener is needed.